



# ANTI-SPATTER

## FEATURES & BENEFITS

- Water-based formula
- Safe - non-flammable - biodegradable
- Contains no silicone
- Protects workpieces, fixtures and equipment

## PRODUCT DESCRIPTION

**ASHBURN ANTI-SPATTER** is a clean, water-based product for use in welding operations to prevent the adherence of spatter. It is a dual-purpose product that can also be used to clean and degrease the workpiece prior to welding. This safe formula is non-chlorinated and does not contain petroleum solvents or silicone. It easily rinses clean for post-weld painting or coating operations. For use on ferrous and nonferrous metals.

## APPLICATIONS

Use **Anti-Spatter** to clean and degrease the workpiece prior to welding. Use to protect from weld spatter on the workpiece and welding equipment including fixtures, clamps, torches, nozzles, vices, jigs and tables.

## DIRECTIONS

Product is ready-to-use. Dilution is not necessary.

For cleaning, spray the workpiece and rinse or wipe away dirt and grease prior to welding.

To protect from weld spatter, spray a thin protective film on the work piece and work areas. After welding, rinse with water and dry before painting or plating.

## PACKAGING

M-25779	1 Qt (12/Case)
M-25771	1 Gal (4/Case)
M-25775	5 Gal Pail
M-25777	55 Gal Drum
M-25773	275 Gal Tote
M-B25770	BOV Aerosol
	Contains 16 fl. oz. (473 mL)
	Net Wt. 16.8 oz. (477 g)
	12/Case



Bag-on-valve system. Eco-friendly.  
User-friendly. Up to 99% product  
emptying. No flammable propellants.